

# INFORMAL TENDER ADVERT

## NELSON MANDELA BAY MUNICIPALITY BUDGET AND TREASURY DIRECTORATE PURCHASING AND STORES DIVISION

Tender Number: SQ09264022  
Buyer: Kana, Miss L [90022170]

Closing Date: 2026-10-23  
Closing Time: 11:00 A.M

Telephone : 041 506 7630

REFER ALL ENQUIRIES TO THE BUYER

| ITEM | QUANTITY | UNIT | KEY WORD                 | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | REQUISITION   |
|------|----------|------|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1    | 100.00   | EACH | SUSPENSION<br>ASSEMBLIES | Supply and deliver SUSPENSION<br>ASSEMBLIES bolt-on type for MV ABC<br>70-150mm <sup>2</sup> with "S" type fusable link<br>sicame tmbsu. As per specification<br>available on the NMBM Informal Tender<br>Portal and/or the SCM front offices:<br>Corner of Buxton Avenue and Harrower<br>Road<br><br>Sample may be requested and must be<br>provided within 72hrs after request.<br>Brand names of quoted items must be<br>stated - failure to meet minimum<br>requirements will deem the tenderer as<br>non-responsive.<br><br>For more information, please contact Mr.<br>Momborg at<br>wmomborg@mandelametro.gov.za | 2027PREQ01481 |
| 2    | 200.00   | EACH | ADHESIVE TAPE            | Supply and deliver ADHESIVE TAPE<br>PVC black scotch 3m no 33 18mm x<br>20.12m.<br><br>Sample may be requested and must be<br>provided within 72hrs after request.<br>Brand names of quoted items must be<br>stated - failure to meet minimum<br>requirements will deem the tenderer as<br>non-responsive.                                                                                                                                                                                                                                                                                                              | 2027PREQ01257 |

### THE FOLLOWING CONDITIONS APPLY TO THIS INFORMAL TENDER

- BEFORE COMPLETING THIS FORM, SERVICE PROVIDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF SPECIFIC GOALS, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATION OF 2022 THE 80/20 SYSTEM APPLIES TO THIS TENDER.
- Acceptance of this tender submission is subject to the General Conditions of Tender and Conditions of Purchase
- Acceptance of this tender is subject to successful registration on the Nelson Mandela Bay Supplier Database.
- For further information to register, please call Compliance Section @ 041 506 3274
- Failure to comply with these conditions may invalidate your tender submission.
- All tender prices should be valid for a minimum period of thirty (30) days from date of tender.
- ALL TENDER RESPONSES SHOULD BE COMPLETED ONLINE AND NO FAX SUBMISSION WILL BE ACCEPTED BY SUPPLY CHAIN UNIT.

For more information, please contact  
Ms. Derrocks at  
mderrocks@mandelametro.gov.za

|   |        |      |             |                                                                                                                       |
|---|--------|------|-------------|-----------------------------------------------------------------------------------------------------------------------|
| 3 | 100.00 | EACH | SCOTCH TAPE | Supply and deliver SCOTCH TAPE 3m - 2027PREQ01260<br>35 vinyl plastic electrical tape 18mm x<br>20, 12m x 178mm blue. |
|---|--------|------|-------------|-----------------------------------------------------------------------------------------------------------------------|

Sample may be requested and must be  
provided within 72hrs after request.  
Brand names of quoted items must be  
stated - failure to meet minimum  
requirements will deem the tenderer as  
non-responsive.

For more information, please contact  
Ms. Derrocks at  
mderrocks@mandelametro.gov.za

|   |       |      |            |                                                                                                                                                 |
|---|-------|------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| 4 | 15.00 | EACH | FUSE LINKS | Supply and deliver FUSE LINKS HRC 200 AMP MJ30=6 BS88=5= 80KA 82.5<br>centre to SABS spec 172. Bussman or<br>approved equivalent. 2027PREQ01261 |
|---|-------|------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------|

Sample may be requested and must be  
provided within 72hrs after request.  
Brand names of quoted items must be  
stated - failure to meet minimum  
requirements will deem the tenderer as  
non-responsive.

For more information, please contact  
Ms. Derrocks at  
mderrocks@mandelametro.gov.za

|   |       |      |           |                                                                                                                                |
|---|-------|------|-----------|--------------------------------------------------------------------------------------------------------------------------------|
| 5 | 40.00 | EACH | FUSE LINK | Supply and deliver FUSE LINKS 315 AMP 82.5mm centres HRC to SABS<br>spec 172. Bussman or approved<br>equivalent. 2027PREQ01262 |
|---|-------|------|-----------|--------------------------------------------------------------------------------------------------------------------------------|

Sample may be requested and must be  
provided within 72hrs after request.  
Brand names of quoted items must be  
stated - failure to meet minimum  
requirements will deem the tenderer as  
non-responsive.

For more information, please contact  
Ms. Derrocks at  
mderrocks@mandelametro.gov.za


#### THE FOLLOWING CONDITIONS APPLY TO THIS INFORMAL TENDER

- BEFORE COMPLETING THIS FORM, SERVICE PROVIDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF SPECIFIC GOALS, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATION OF 2022 THE 80/20 SYSTEM APPLIES TO THIS TENDER.
- Acceptance of this tender submission is subject to the General Conditions of Tender and Conditions of Purchase
- Acceptance of this tender is subject to successful registration on the Nelson Mandela Bay Supplier Database.
- For further information to register, please call Compliance Section @ 041 506 3274
- Failure to comply with these conditions may invalidate your tender submission.
- All tender prices should be valid for a minimum period of thirty (30) days from date of tender.
- ALL TENDER RESPONSES SHOULD BE COMPLETED ONLINE AND NO FAX SUBMISSION WILL BE ACCEPTED BY SUPPLY CHAIN UNIT.

|   |        |    |      |                                                                                                                                                                                                                                                                                                                                                          |               |
|---|--------|----|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 6 | 300.00 | KG | RAGS | Supply and deliver RAGS coloured bundled in 5KG bags vaccum sealed - good quality.                                                                                                                                                                                                                                                                       | 2027PREQ01263 |
|   |        |    |      | <p>Sample may be requested and must be provided within 72hrs after request. Brand names of quoted items must be stated - failure to meet minimum requirements will deem the tenderer as non-responsive.</p> <p>For more information, please contact Ms. Derrocks at <a href="mailto:mderrocks@mandelametro.gov.za">mderrocks@mandelametro.gov.za</a></p> |               |

THE FOLLOWING CONDITIONS APPLY TO THIS INFORMAL TENDER

- BEFORE COMPLETING THIS FORM, SERVICE PROVIDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF SPECIFIC GOALS, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATION OF 2022 THE 80/20 SYSTEM APPLIES TO THIS TENDER.
- Acceptance of this tender submission is subject to the General Conditions of Tender and Conditions of Purchase
- Acceptance of this tender is subject to successful registration on the Nelson Mandela Bay Supplier Database.
- For further information to register, please call Compliance Section @ 041 506 3274
- Failure to comply with these conditions may invalidate your tender submission.
- All tender prices should be valid for a minimum period of thirty (30) days from date of tender.
- ALL TENDER RESPONSES SHOULD BE COMPLETED ONLINE AND NO FAX SUBMISSION WILL BE ACCEPTED BY SUPPLY CHAIN UNIT.



GALVANISED STEEL JOINT FRAME FOR 95 SQUARE MM 11KV ABC

**ITEM No. 16**

MV ABC BOLT MOUNTED SUSPENSION ASSEMBLIES WITH "S" TYPE NON-CORROSIVE FUSIBLE LINK SUITABLE FOR MV ABC RANGE 70 MM<sup>2</sup> TO 150 MM<sup>2</sup>

Assembly to include one M10 U bolt, a **heavy duty** "S" type non-corrosive fusible hook/link to suspend from the M10 U bolt a high quality cast aluminium carrier/hanger. A square slot 10 x 10mm should be provided in the carrier/hanger in order to secure MV ABC catenary with suitable cable ties. Carrier/hanger and slot must be free of burrs.

Suspension bracket to be bolt-on type equipped with 2 x 16mm diameter half threaded bolts and washers suitable for bolting through a 180mm diameter wooden pole tops.

Tested vertical load - 1 700kg

All components to be either hot-dipped galvanised or of an approved non-corrosive/UV resistant material.

Suspension eye to be large enough to accommodate the hook of commercially available running-out blocks.

Commodity Code 04311668

**ITEM No.17 - MV ABC STRAIN ASSEMBLIES SUITABLE FOR MV ABC RANGE 70 MM<sup>2</sup> TO 150 MM<sup>2</sup>**

Strain assembly to be bolt-on type consisting of 1 x 16mm diameter eye-bolt and washers, a double link plate and pistol grip suitable for bolting through a 180mm diameter wooden pole top.

The transverse tested load to be at least 3 600kg. All components to be either hot-dipped galvanised or of an approved non-corrosive material.

Commodity Code 04390106

**ITEM No.18 - MV 95 MM<sup>2</sup> 11KV ABC SEPARABLE STRAIGHT CONNECTORS**

Separable Straight Connectors for single core polymeric XLPE insulation cables up to 24kV, non-loadbreak operation, continuous rating – 250Amps rms, Elastimold type K151SR or Pirelli type FMCS – 250 - F or approved equivalent for use on **11kV, 95mm<sup>2</sup> ABC systems** having an ABC Cable Diameter over Insulation = 22mm (maximum diameter).

Separable Straight Connectors to be manufactured of semi-conducting EPDM (Ethylene Propylene Diene Polymer) insulation material complete with the following features :

1. A capacitive voltage divider testing point which provides a means of checking that the item is not live before disconnection;
2. Earthing eye, which provides for connection of outer envelope to the cable screen (earthing); and
3. Earthing cover made of moulded EPDM, which ensures watertight protection of the earthing device (earthing connection to the cable screen at cable insert end).

Straight Connectors to be supplied as a kit of 3 x single connectors containing all the necessary components such as 3 x stainless steel clamping braces, complete with **earthing kits** for 3 x single core cables (See Note 2 under the heading : **Guarantee**) including assembly / installation instructions.

Manufacture to be in accordance with Standards:

IEC 71  
IEC 540  
VDE 0278  
EDF HN 52-S-61  
ANSI-IEEE 386

Commodity Code 04390155

**ITEM No.19 - MV 95 MM<sup>2</sup>, 22KV ABC SEPARABLE STRAIGHT CONNECTORS**

Separable Straight Connectors for single core polymeric XLPE insulation cables up to 24kV, non-loadbreak operation, continuous rating – 250Amps rms, Elastimold type K151SR or Pirelli type FMCS – 250 - J or approved equivalent for use on **22kV, 95mm<sup>2</sup> ABC systems** having an ABC Cable Diameter over Insulation = 26mm (maximum diameter).

Separable Straight Connectors to be manufactured of semi-conducting EPDM (Ethylene Propylene Diene

**Plan view**

**3D View**  
Scale: NTS

**Front View**

**Side View**

**NOTE:**  
Hook to be manufactured from 10mm round bar.  
Entire hook to be Hot-dip galvanized to SABS Spec. 763 after manufacture.  
All dimensions are in millimeters unless otherwise indicated.  
Remove all burrs and sharp edges.

**NElson mAndela Bay MUNICIPALITY**  
ELECTRICITY AND ENERGY DIRECTORATE

|            |                                |                  |       |      |
|------------|--------------------------------|------------------|-------|------|
| REV. DATE  | 1                              | 2                | 3     | 4    |
| REV. CHECK |                                |                  |       |      |
| CHECKED    | SIGN                           | SIGN             | SIGN  | SIGN |
| DATE DWN   | 30/05/2018                     | SIGN             |       |      |
| DRAWN      | KP                             |                  |       |      |
| CHECKED    | E. Williams                    |                  |       |      |
| CHECKED    | T. Potlhar                     |                  |       |      |
| APPROVED   | B. Lomour<br>Tech. Eng. Elect. | NUMM<br>YJ000201 |       |      |
|            |                                |                  | SCALE | 1:20 |
|            |                                |                  | SHEET | NEXT |

**ITEM No.18 - MV ABC STRAIN ASSEMBLIES SUITABLE FOR MV ABC RANGE 70 MM<sup>2</sup> TO 150 MM<sup>2</sup>**

Strain assembly to be bolt-on type consisting of 1 x 16mm diameter eye-bolt and washers, a double link plate and pistol grip suitable for bolting through a 180mm diameter wooden pole top.

The transverse tested load to be at least 3,600kg. All components to be either hot-dipped galvanised or of an approved non-corrosive material.

Commodity Code 04390106